


Gru a torre "Flat Top"

"Flat Top" Tower Crane • Grue à tour "Flat Top"
 "Flat Top" Turmdrehkran • Grua torre "Flat Top"



CE FEM 1.001 A3
 (A2 )

THE **ULTIMATE CRANE**™

Dati illustrativi non impegnativi
 Con riserva di modifica senza preavviso

Specifications and data not binding
 Subject to modification without notice

Données techniques seulement indicatives
 Modifications réservées sans préavis

Angaben und Beschreibung unverbindlich
 Änderungen vorbehalten ohne weitere Mitteilung

Dibujos y datos sin compromiso
 Modificaciones reservadas sin preaviso

UTE.DOC.REV.002 09_2002

"CITY" CTT 141-6 TS



CTT 141-6

Diagramma di portata
Load Diagram

I
GB

Curbes de charges
Lastkurven

F
D

Curvas de cargas

E

		CTT 141-6											
		10	15	20	25	30	35	40	45	50	55	60	
3 t	- 36.8 m	3	3	3	3	3	3	2.72	2.36	2.08	1.84	1.65	
3 t	- 35.2 m	3	3	3	3	3	3	2.56	2.21	1.92	1.69	1.5	
6 t	- 19.51 m	6	6	5.83	4.51	3.64	3.02	2.56	2.21	1.92	1.69	1.5	
3 t	- 41.63 m	3	3	3	3	3	3	3	2.74	2.41	2.15		
3 t	- 39.86 m	3	3	3	3	3	3	2.99	2.58	2.26	2		
6 t	- 22.05 m	6	6	6	5.2	4.21	3.51	2.99	2.58	2.26	2		
3 t	- 45 m	3	3	3	3	3	3	3	3	2.65			
3 t	- 43.13 m	3	3	3	3	3	3	3	3	2.85	2.5		
6 t	- 23.83 m	6	6	6	5.68	4.61	3.85	3.29	2.85	2.5			
3 t	- 45 m	3	3	3	3	3	3	3	3				
6 t	- 24.85 m	6	6	6	5.96	4.84	4.05	3.46	3				
3 t	- 40 m	3	3	3	3	3	3	3					
6 t	- 25.11 m	6	6	6	6	4.9	4.1	3.5					
3 t	- 35 m	3	3	3	3	3	3						
6 t	- 26.16 m	6	6	6	6	5.14	4.3						
3 t	- 30 m	3	3	3	3	3							
6 t	- 26.23 m	6	6	6	6	5.15							

Altre installazioni
Other configurations



I
GB

Autres implantations
Aufstellmöglichkeiten

F
D

Otras implantaciones

E



I Consultateci

I Consult us

GB Nous consulter

F Consultarnos

E Auf Anfrage

D



CTT 141-6

Torre
Mast



Mât
Turm



Mástil



I Le prolunghe TS sono disponibili in lunghezza 11.8 m, 5.9 m, 2.95 m.


F Les éléments de mât TS sont disponibles en longueur 11.8 m, 5.9 m, 2.95 m.

E Los tramos de torre TS son disponibles en las medidas de largo 11.8 m, 5.9 m, 2.95 m.


GB The available lengths for the TS tower sections are 11.8 m, 5.9 m, 2.95 m.

D Die Turmschüsse TS sind mit Längen 11.8 m, 5.9 m, 2.95 m verfügbar.

TS16



TS21





CTT 141-6

Meccanismi
Mechanisms

I
GB

Mécanismes
Antriebe

F
D

Mecanismos

E

18 APC 30	55 * kVA	400 V - 50 Hz	CE 87/405
22 AFC 30	61 * kVA	400 V - 50 Hz / 460 V - 60 Hz	

* Gru senza traslazione / Crane without travelling equipment / Grue sans translation / Krane ohne Schienenfahren / Grúa sin traslación

		m/min	t	kW		
18 APC 30		7	3	18	220 m	
		30	3			
		59	1.5			
		3.5	6			
		15	6			
		29.5	3			
22 AFC 30 (VARIANT)		0 ⇌ 2.4	3	22	300 m	
		2.4 ⇌ 9	3			
		9 ⇌ 38	3			
		38 ⇌ 61	1.88			
		61 ⇌ 77	1.43			
		0 ⇌ 1.2	6			
		1.2 ⇌ 4.5	6			
		4.5 ⇌ 19	6			
		19 ⇌ 30.5	3.76			
		30.5 ⇌ 38.5	2.86			

	DVF 3 4 (VARIANT)	0 ⇌ 6 ⇌ 32 ⇌ 64 m/min	4 kW
	SSR 2 2 65	0.7 r.p.m. (50 Hz) 0.84 r.p.m. (60 Hz)	2 × 65 Nm
	▲ TAD 2RP 2M4	0 - 24 m/min	2 × 4 kW
	● TAD 2RG 4M3		4 × 3 kW

	▲	●
	Max. H [m]	
T ₂ -T ₄	38.8	> 38.8
T ₃	39.1	> 39.1

	Sollevamento	I	Hoisting	GB	Levage	F	Heben	D	Elevación	E
	Traslazione carrello		Trolleying		Distribution		Katzfahren		Distribución	
	Rotazione		Slewing		Orientation		Schwenken		Orientación	
	Traslazione		Travelling		Translation		Schienenfahren		Traslación	
	Direttiva sul livello acustico		Directive on noise level		Directive sur le niveau acoustique		Richtlinie für den Schall-Leistungspegel		Directiva sobre el nivel acustico	
	Consultateci		Consult us		Nous consulter		Auf Anfrage		Consultarnos	
	Potenza totale richiesta		Power requirements		Puissance totale nécessaire		Geforderte Stromstärke		Potencia necesaria	
	Alimentazione		Power supply		Alimentation		Stromversorgung		Alimentación	

Gru Comedil s.r.l.

A Terex Company

Via S. Egidio 42/A, 33074 Fontanafredda (PN) - Italy
Tel. (+39) 0434 567 311 - Telefax (+39) 0434 998631

Internet e-mail: info@comedil.com
Internet home page: http://www.comedil.com

Terex Internet home page: http://www.terex.com

Divisione Automontanti

Via Alessandrina, 25 - 20095 Cusano Milanino (MI) - Italy
Tel. (+39) 02 613 16011 - Telefax (+39) 02 613 16034

Internet e-mail: info.CBR@comedil.com

